	Application No.	Applicant(s)
Notice of Allowability	10/677,964 Examiner	SUZUKI, AKIHIKO Art Unit
•		
	Paul Ip	2837
The MAILING DATE of this communication appear All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in or other appropriate commu IGHTS. This application is s	this application. If not included inication will be mailed in due course. THIS
1. This communication is responsive to		
2. The allowed claim(s) is/are <u>1-20</u> .		
3. \boxtimes The drawings filed on <u>01 October 2003</u> are accepted by th	e Examiner.	
 4.	e been received. be been received in Application cuments have been received of this communication to file MENT of this application. itted. Note the attached EXA as reason(s) why the oath or set be submitted. son's Patent Drawing Review. s Amendment / Comment or .84(c)) should be written on the header according to 37 CF sit of BIOLOGICAL MATE	n No If in this national stage application from the a reply complying with the requirements AMINER'S AMENDMENT or NOTICE OF declaration is deficient. If (PTO-948) attached In the Office action of the drawings in the front (not the back) of R 1.121(d). ERIAL must be submitted. Note the
 Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/C Paper No./Mail Date 10/1/03 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material 	6. ☐ Interview Su Paper No./ 98), 7. ☐ Examiner's	formal Patent Application (PTO-152) Jummary (PTO-413), Mail Date Amendment/Comment Statement of Reasons for Allowance Paul Ip Primary Examiner Art Unit: 2837

Application/Control Number: 10/677,964

Art Unit: 2837

REASONS FOR ALLOWANCE

1. The following is an examiner's statement of reasons for allowance:

The patents to Yamaguchi et al (6,107,708) and Fujii et al (6,528,919) disclose nothing more than the blower holder structure as disclosed at the background of the invention. The improvement recited in the claims are not taught or suggested by these references.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

2. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Paul Ip whose telephone number is (571)-272-1941. The examiner can normally be reached on Monday to Friday from 6:30 a.m. to 3:00 p.m.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Martin, can be reached on (571)-272-1207. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Paul Ip

Primary Examiner

Art Unit 2837